

L Number	Hits	Search Text	DB	Time stamp
-	226	multicast\$5 near2 rout\$5 with table	USPAT; US-PGPUB; EPO; DERWENT	2004/05/26 21:37
-	1	((multicast\$5 near2 rout\$5 with table) and (assign\$5 or bookmark\$5) near4 (table or route or (changed near2 rout\$3)) with (id or refer\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/26 21:33
-	19	((multicast\$5 near2 rout\$5 with table) and (changed or add\$3 or delet\$5 or alter\$5) near3 rout\$4 near4 (entr\$5 or table)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/26 21:37
-	84	((multicast\$5 near2 rout\$5 with table) and (updat\$5 or chang\$5 or add\$3 or delet\$5 or alter\$5) near3 rout\$4 near4 (entr\$5 or table)) and (updat\$5 or chang\$5 or add\$3 or delet\$5 or alter\$5) near3 rout\$4 near4 (entr\$5 or table)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/26 22:04
-	6	(((((multicast\$5 near2 rout\$5 with table) and (updat\$5 or chang\$5 or add\$3 or delet\$5 or alter\$5) near3 rout\$4 near4 (entr\$5 or table)) and (updat\$5 or chang\$5 or add\$3 or delet\$5 or alter\$5) near3 rout\$4 near4 (entr\$5 or table)) and (assign\$5 or bookmark\$5 or creat\$5 or generat\$5) near4 (table or rout\$4 or ((chang\$3 or updat\$5) near2 (rout\$3 or table))) with (id or identif\$6 or refer\$5 or value)) and compar\$5 near4 (table or rout\$4 or ((chang\$3 or updat\$5) near2 (rout\$3 or table)))	USPAT; US-PGPUB; EPO; DERWENT	2004/05/26 22:08
-	283	multicast\$5 near2 (rout\$5 or protocol) with (entr\$5 or table)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/26 22:04
-	106	((multicast\$5 near2 (rout\$5 or protocol) with (entr\$5 or table)) and (updat\$5 or chang\$5 or add\$3 or delet\$5 or alter\$5) near3 rout\$4 near4 (entr\$5 or table)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/26 22:04
-	22	(((((multicast\$5 near2 (rout\$5 or protocol) with (entr\$5 or table)) and (updat\$5 or chang\$5 or add\$3 or delet\$5 or alter\$5) near3 rout\$4 near4 (entr\$5 or table)) and (assign\$5 or bookmark\$5 or creat\$5 or generat\$5 or giv\$5 or incre\$6) near4 (table or rout\$4 or ((chang\$3 or updat\$5) near2 (rout\$3 or table))) with (id or identif\$6 or refer\$5 or value or number\$3)) and compar\$5 near4 (table or rout\$4 or ((chang\$3 or updat\$5) near2 (rout\$3 or table)))) and (((multicast\$5 near2 (rout\$5 or protocol) with (entr\$5 or table)) and (updat\$5 or chang\$5 or add\$3 or delet\$5 or alter\$5) near3 rout\$4 near4 (entr\$5 or table)) and (assign\$5 or bookmark\$5 or creat\$5 or generat\$5 or giv\$5 or incre\$6) near4 (table or rout\$4 or ((chang\$3 or updat\$5) near2 (rout\$3 or table))) with (id or identif\$6 or refer\$5 or value or number\$3)) and compar\$5 with (id or identif\$6 or refer\$5 or value or number\$3))	USPAT; US-PGPUB; EPO; DERWENT	2004/05/26 22:08
-	9	("5079767" "5331637" "5892924" "5940391" "6018771" "6101549" "6141347" "6154463" "6389532").PN.	USPAT	2004/05/26 22:21

-	45	((multicast\$5 near2 (rout\$5 or protocol) with (entr\$5 or table)) and (updat\$5 or chang\$5 or add\$3 or delet\$5 or alter\$5) near3 rout\$4 near4 (entr\$5 or table)) and (assign\$5 or bookmark\$5 or creat\$5 or generat\$5 or giv\$5 or incre\$6) near4 (table or rout\$4 or ((chang\$3 or updat\$5) near2 (rout\$3 or table))) with (id or identif\$6 or refer\$5 or value or number\$3 or index\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/26 22:25
-	54	((multicast\$5 near2 (rout\$5 or protocol) with (entr\$5 or table)) and (updat\$5 or chang\$5 or add\$3 or delet\$5 or alter\$5) near3 rout\$4 near4 (entr\$5 or table)) and (assign\$5 or bookmark\$5 or creat\$5 or generat\$5 or giv\$5 or incre\$6 or index\$5) near4 (table or rout\$4 or ((chang\$3 or updat\$5) near2 (rout\$3 or table))) with (id or identif\$6 or refer\$5 or value or number\$3 or index\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/26 22:25
-	5	(chang\$5 or add\$5 or delet\$5 or remov\$5) near3 rout\$4 adj1 table with (assign\$5 or bookmark\$5) near4 (table or rout\$4 or ((chang\$3 or updat\$5) near2 (rout\$3 or table))) with (id or identif\$6 or refer\$5 or value or number)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 13:05
-	8	(chang\$5 or add\$5 or delet\$5 or remov\$5) near3 rout\$4 near2 (table or entr\$3) with (assign\$5 or bookmark\$5) near4 (table or rout\$4 or ((chang\$3 or updat\$5) near2 (rout\$3 or table))) and stor\$5 near5 (id or identif\$6 or refer\$5 or value or number) near5 (table or rout\$4 or ((chang\$3 or updat\$5) near2 (rout\$3 or table or entr\$3)))	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 11:21
-	1481	370/392.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 13:35
-	30	370/392.ccls. and (buffer\$5 or queu\$5 or stor\$5) near5 (id or identif\$6 or refer\$5 or value or index\$5 or qu\$4 or bookmark\$5 or table or entr\$3 or rout\$3) near5 (updat\$5 or modif\$5 or chang\$5) with information	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 13:37
-	21	((370/392.ccls. and (assign\$5 or creat\$5 or generat\$5) near5 (id or identif\$6 or refer\$5 or value or index\$5) with (table or entr\$3 or rout\$3)) and (370/392.ccls. and (buffer\$5 or queu\$5 or stor\$5) near5 (id or identif\$6 or refer\$5 or value or index\$5 or qu\$4 or bookmark\$5 or table or entr\$3 or rout\$3) near5 (updat\$5 or modif\$5 or chang\$5))) and @ad<20001220) and (compar\$5 or assign\$5 or process\$5 or qu\$4 or index\$5 or list\$5 or stor\$5) near3 (rout\$4 or table or entr\$3) same (new\$3 or chang\$5 or add\$5 or delet\$5 or remov\$5 or modif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 15:27
-	29	709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 15:31
-	25	370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 15:20

-	53	(709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 15:22
-	49	((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 15:36
-	46	((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (assign\$5 or creat\$5 or generat\$5) near5 (id or identif\$6 or refer\$5 or value or index\$5) with (table or entr\$3 or rout\$3 or record\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 15:25
-	10	((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (buffer\$5 or queu\$5 or stor\$5 or index\$6) near5 (id or identif\$6 or refer\$5 or value or index\$5 or qu\$4 or bookmark\$5 or table or entr\$3 or rout\$3 or record\$5) near5 (updat\$5 or modif\$5 or chang\$5 or record\$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 15:26

-	46	<p>(((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (assign\$5 or creat\$5 or generat\$5) near5 (id or identif\$6 or refer\$5 or value or index\$5) with (table or entr\$3 or rout\$3 or record\$5)) or (((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (buffer\$5 or queu\$5 or stor\$5 or index\$6) near5 (id or identif\$6 or refer\$5 or value or index\$5 or qu\$4 or bookmark\$5 or table or entr\$3 or rout\$3 or record\$5) near5 (updat\$5 or modif\$5 or chang\$5 or record\$5))</p>	<p>USPAT; US-PGPUB; EPO; DERWENT</p>	<p>2004/05/27 15:26</p>
-	28	<p>(((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (assign\$5 or creat\$5 or generat\$5) near5 (id or identif\$6 or refer\$5 or value or index\$5) with (table or entr\$3 or rout\$3 or record\$5)) or (((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (buffer\$5 or queu\$5 or stor\$5 or index\$6) near5 (id or identif\$6 or refer\$5 or value or index\$5 or qu\$4 or bookmark\$5 or table or entr\$3 or rout\$3 or record\$5) near5 (updat\$5 or modif\$5 or chang\$5 or record\$5))) and @ad<20001220</p>	<p>USPAT; US-PGPUB; EPO; DERWENT</p>	<p>2004/05/27 15:27</p>

-	0	((((((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (assign\$5 or creat\$5 or generat\$5) near5 (id or identif\$6 or refer\$5 or value or index\$5) with (table or entr\$3 or rout\$3 or record\$5)) or ((((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (buffer\$5 or queu\$5 or stor\$5 or index\$6) near5 (id or identif\$6 or refer\$5 or value or index\$5 or qu\$4 or bookmark\$5 or table or entr\$3 or rout\$3 or record\$5) near5 (updat\$5 or modif\$5 or chang\$5 or record\$5))) and @ad<20001220) and assign\$5 near2 rout\$4 near5 (value or number) with (id or identif\$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 15:33
-	11	((((((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (assign\$5 or creat\$5 or generat\$5) near5 (id or identif\$6 or refer\$5 or value or index\$5) with (table or entr\$3 or rout\$3 or record\$5)) or ((((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (buffer\$5 or queu\$5 or stor\$5 or index\$6) near5 (id or identif\$6 or refer\$5 or value or index\$5 or qu\$4 or bookmark\$5 or table or entr\$3 or rout\$3 or record\$5) near5 (updat\$5 or modif\$5 or chang\$5 or record\$5))) and @ad<20001220) and assign\$5 near2 rout\$4 near5 (value or number)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 15:33

-	13	((((((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (assign\$5 or creat\$5 or generat\$5) near5 (id or identif\$6 or refer\$5 or value or index\$5) with (table or entr\$3 or rout\$3 or record\$5)) or ((((709/238-242.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3)) or (370/390-392,395.3-395.32.ccls. and assign\$5 near2 rout\$4 near5 (id or identif\$6 or refer\$5 or value or index\$5) same (table or entr\$3 or rout\$3))) and (chang\$5 or add\$5 or delet\$5 or remov\$5 or updat\$5 or modif\$6) near3 (rout\$4 or table or entr\$3 or record\$5 or identif\$6)) and (buffer\$5 or queu\$5 or stor\$5 or index\$6) near5 (id or identif\$6 or refer\$5 or value or index\$5 or qu\$4 or bookmark\$5 or table or entr\$3 or rout\$3 or record\$5) near5 (updat\$5 or modif\$5 or chang\$5 or record\$5))) and @ad<20001220) and assign\$5 near5 rout\$4 near5 (value or number)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/27 15:33
---	----	---	--	---------------------